

suction mount

MagMate



APSMSHLD MAGNETIC SUCTION MOUNT

MANUAL

How to Use Magnetic Holder (Pic1)

1. Put the magnetic plate into the phone case and check the strength of the magnet before attaching the 3M tape. (Pic1)

If the phone case is too thick, the magnetic plate can alternatively be placed on outside of the case with the provided 3M tape.

2. Peel off the protection sheet from the 3M double sided tape and stick the plate to the phone case.

(Pic1)



Magnetic Plate

Suction mount Installation

- 1. Find the safe and best viewing angle by simply rotating phone at the desired area.
- 2. Clean any oil, debris, or dust on the area where 3M base is to be placed. If possible use an alcohol wipe to help with suction.
- 3. Peel off the protection sheet from the base and then stick the gel base to the chosen area. Press the base down firmly and press down on the locking button to secure.
- 4. To remove the suction base, unlock the locking button and lift the tab on the gel base.
- 5. To adjust the holders arm loosen the adjusting knob and angle accordingly whilst holding onto the base.



Caution



- 5. Do not install the holder where it will obstruct the drivers view.
- 7. Periodically check the strength of the suction base.
- 8. Clean the surface and re-attach if suction strength decreases.
- 8. Do not operate phone and holder while driving.

Technical Assistance

If you need assistance setting up or using your Aerpro product now or in the future, call Aerpro Support Australia.

TEL: 03 – 8587 8898 FAX: 03 – 8587 8866 Mon-Fri 9am – 5pm AEST

Please retain this manual for future reference.

If you would like to download a digital copy of this manual, or other aerpro manuals/software, please visit the http://aerpro.com.au website and click on 'Find things instantly" to search for information on this product.

This manual is considered correct at time of printing but is subject to change. For latest manuals and updates refer to the website.

Copyright © 2017 by TDJ Australia



Please visit us at www.aerpro.com