


WIRELESS CHARGING HOLDER KIT

manual



Product Information




NOTE: *The Vent Mount is designed to be used only with FLAT air vent blades.*




Attaching the mount to the holder

1. Place the adjustable collar over the ball of the mount
2. Press the ball of the mount into the back of the magnetic wireless charging head
3. Move the wireless charging head to the desired position and tighten the adjustable collar.




Firstly pass the Adjustable Collar through rotating ball joint





Attaching the adhesive mount to a flat surface

1. Clean any oil, debris, or dust on the area where 3M base is to be placed. If possible use an alcohol wipe to help with adhesion
2. Peel off the protection sheet from the 3M base and stick to chosen area by strongly pressing the base for an extended period of time
3. The strength of the 3M tape will perform perfectly after 4-5 hours of installation
4. Do not use the magnetic holder for the above period of time or the mount may become unstuck




Attaching the vent mount to a vent

1. Unfasten the vent mount arms sufficiently by rotating the tightening lever
2. Insert the vent mount to the center of the vents
3. Rotate the tightening lever so that the fixing plate tightens against the vent blade to avoid the presence of any gap between fixing plate and vent
4. Check if vent clip is fixed firmly and correctly



Horizontal



Vent
Blade

Vertical



Attaching the suction mount

1. Carefully choose where to install the suction mount considering the height and distance of the holder. For more stable installation, it is strongly recommended to use the provided suction plate
2. Do not install the suction base or plate on a curved surface or soft dashboard
3. Clean any oil, debris, or dust on the area where 3M base is to be placed. If possible use an alcohol wipe to help with adhesion
4. Peel off the protection sheet from the 3M base and stick to chosen area by strongly pressing the base for an extended period of time
5. The strength of the 3M tape will perform perfectly after 4-5 hours of installation
6. Do not use the wireless charging holder for the above period of time or the mount may become unstuck
7. Lift the lever up to unlock, and press the sticky gel pad down strongly to avoid air leakage, then press the suction lever down to lock in position

Attaching the suction mount


8. After adjusting to desired angle, tighten the angle fixer so that it does not shake when driving

NOTE: *The sticky gel pad can be cleaned with water to maintain stickiness. After washing, check the stickiness and ensure to check it has perfectly dried before installation*



Adjusting stalk angle and length



1. To use at a low angle for a better driving view, reassemble the stalk as shown below
2. Pull out and adjust the stalk to your desired length
3. Adjust the holder to desired direction and angle, and tighten angle fixer



Charging your device

1. Connect the supplied USB cable to the power input port of the wireless charging head
2. Connect opposite end of the supplied USB cable into the supplied USB car charger
3. The charging indicator LED will turn blue. The magnetic wireless charging holder is now ready for your smartphone or device
4. Ensure the foot stand is pulled out completely and then place your smartphone on the foot stand and charging head. The arms will automatically close and grip your smartphone.
5. Most smartphones have a wireless charging coil in the center of the smartphone, so adjust the feet for successful charging
6. Press the side button to open and close the grips manually
7. With successful alignment the charging indicator LED will turn white and charging will commence
8. If the charging indicator LED flashes white and blue then there is a problem with the connection. Reposition your smartphone by adjusting the foot stand to fix the problem.

Charging your device



NOTE



1. Periodically check the tightness of the vent mount to prevent unexpected dropping of the smartphone
2. Do not install the holder where it will obstruct the drivers view.
3. Periodically check the strength of the 3M base.
4. Do not operate phone and holder while driving.
5. Use the car charger or adapter supplied to power the Wireless Charging Holder as it outputs the proper voltage
6. Using a charger or adapter with a lower output may result in malfunction or overheating.
7. Charging speed may vary depending on device specifications, input voltage and environment.
8. Phone cases or metal plates for magnetic attachment may interfere with wireless charging.
9. It's normal for the charger and your device to get hot whilst charging. It will get even hotter if the device is also being used while charging. Allow the charger to cool if too hot.

Inclusions

Wireless charging head

Stalk mount

Vent mount

Adhesive mount

USB car charger

Type C USB charging cable

Technical assistance

If you need assistance with your Aerpro product call Aerpro Support Australia.

TEL: 03 – 8587 8898 FAX: 03 – 8587 8866
Mon-Fri 9am – 5pm AEST

This manual is considered correct at time of writing but is subject to change. For latest manuals and updates refer to the website.



www.aerpro.com